

Work Order ID 73612

Wednesday, September 07, 2011 2:30:43 PM



Page 1

Item ID: D3443-041

Revision ID:

Item Name: Strut Weldment Assembly

Start Date: 9/7/2011 Start Qty: 4.00

Required Date: 9/30/2011 Req'd Qty: 4.00

Reference:

Accept



Setup Start



Stop



Cust Item ID:

Customer:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3443

Rev C

100

0.00



Large Fab

Large Fab

Memo

0.00

Large Fab

Weld assembly as per dwg D3443

EZ 12-14-5 (x4)

110

QC9- Inspect visual per QSI004- Fusion Welds

0.00



QC

Memo

0.00

Quality Control

PL 12-01-05

4x Ø

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

8/24/05

(x4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 73612

Wednesday, September 07, 2011 2:30:43 PM



Page 2

Item ID: D3443-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Strut Weldment Assembly

Start Date: 9/7/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 9/30/2011 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID Tool # Plan Accept Reject Reject Insp.
Code Qty Qty Number Stamp

130



Powdercoat

Powder Coating

White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel

0.00

Memo

0.00

1-Mask holes as per dwg D3443

START TIME: 9:20

OVEN TEMPERATURE: 400 OF

FINISH TIME: 9:50

140



QC

Quality Control

QC3- Inspect Part Finish

0.00

Memo

0.00

150



Small Fab

Small Fab

Small Fab

0.00

Memo

0.00

Assemble bearing and ball plungers as per dwg D3443 using DT9518

Ensure bearing rotates smoothly

4X M-12/01/06

H. BR 12-1-6.

12/01/07 (4X)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 73612

Wednesday, September 07, 2011 2:30:43 PM



Page 3

Item ID: D3443-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Strut Weldment Assembly

Start Date: 9/7/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 9/30/2011 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID Tool # Plan Accept Reject Reject Insp.
Code Qty Qty Number Stamp

160

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

SB 12/01/09

170

Identify as per dwg & Stock Location: ST 174

0.00



Packaging

Memo

0.00

Packaging

SB 12/01/10 (4)

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

12/1/10
mf
12-01-10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, September 07, 2011 2:30:39 PM

Page 1

Work Order ID: 73612

Parent Item: D3443-041

Parent Item Name: Strut Weldment Assembly

Start Date: 9/7/2011

Required Date: 9/30/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV. A 05.11.17 NEW ISSUE EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3443-1 Manufactured No



Lug

73613 x 4

Location

WA023

72033

Loc Qty

2

2

Loc Code

100

Each

6.0000

1

4



EL 12-1-5

D3443-5 Manufactured No



Tubing

73625

Location

WA023

73099

Loc Qty

6

6

Loc Code

100

Each

0.0000

1

4



EL 12-1-5

D3453-1 Manufactured No



Clevis

73470 x 4

D3965-4 Manufactured No



Bearing, Spherical

Location

ST100

71181

Loc Qty

2

2

Loc Code

100

Each

1.0000

2

8



EL 12-1-5
B73614 (4x)

D3966-4-750 Manufactured No



Pin, Dowel

Location

ST100

58711

Loc Qty

1

1

Loc Code

73566 x 8

EL 12-1-5

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1

ITEM	QTY -041	P/N	DESCRIPTION
1	X	D3443-041	STRUT WELDMENT ASSEMBLY
2	1	D3443-1	LUG
3	1	D3443-5	TUBING
4	1	D3453-1	CLEVIS
5	1	D3965-4	BEARING, SPHERICAL
6	2	D3966-4-750	PIN, DOWEL



D3443-041

do
73612

RELEASED
09/08/25 MP




NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
NO POWDER COAT IN HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 1.33 lbs
- 8) WELD PER DART QSI 004

C	DRAWING UPDATED TO CURRENT STANDARDS. REVISED NOTE #2 (ZN A8-1, A8-2); 0.820 WAS 0.720 & 1.43 WAS 1.53 (ZN C2-3); 0.551 WAS 0.451 (ZN C1-3); R0.219 WAS R0.050 (ZN C4-3); D3965-4 WAS SPAENAUER PIN (ZN C5-1, B5-2); D3966-4-750 WAS MCMASTER-CARR PIN (ZN B5-1); REF PAR 09-018	RF	09.06.25
B	ADDED -9 PIN; REMOVED BALL PLUNGER; REVISE TOLERANCE; & Ø 0.125 WAS #30	RF	05.12.05
A	NEW ISSUE	RF	05.09.02
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. C
MFG. APPR.	RF	D3443	SHEET 1 OF 4
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	STRUT WELDMENT ASSEMBLY	NTS
DATE	09.06.25	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

ITEM	QTY -043	P/N	DESCRIPTION
1	X	D3443-043	STRUT WELDMENT ASSEMBLY
2	1	D3443-3	CLEVIS
3	1	D3443-7	TUBING
4	1	D3966-4-750	PIN



D3443-043

RELEASED
09/06/25/W

NOTES:




- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
NO POWDER COAT IN HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.97 lbs
- 8) WELD PER DART QSI 004

73612




DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	UP	DRAWING NO. D3443	REV. C
MFG. APPR.			SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STRUT WELDMENT ASSEMBLY	NTS
DATE	09.06.25	<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1




D3443-1 LUG



D3443-3 CLEVIS



SECTION A-A C4-3





RELEASED
09/06/25/143


NOTES:

- 1) MATERIAL: D3443-1 = 17-4 SS PER AMS 5604/5643 (REF DART SPEC M17-4B)
D3443-3 = AISI 304 SS ROUND BAR (REF. DART SPEC M304R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: D3443-1 = 0.50 lbs
D3443-3 = 0.35 lbs




73612

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. C
MFG. APPR.		D3443	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STRUT WELDMENT ASSEMBLY NTS	
DATE	09.06.25	COPYRIGHT © 2005 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			



8 7 6 5 4 3 2 1



D3443-5 TUBING




D3443-9 PIN



D3443-9 NOTES:

- 1) MATERIAL: DELRIN II 150R OR ACETRON GP ACETAL (REF. DART SPEC M-DELRIN-R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A



D3443-7 TUBING

D3443-5/-7 NOTES:

- 1) MATERIAL: AISI 316/304 SS SEAMLESS TUBING (REF. DART SPEC M304TR0.750W.120)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.025 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: D3443-5 = 0.41 lbs
D3443-7 = 0.62 lbs

RELEASED
01/08/25 MD

73612

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DT	DRAWING NO.	REV. C
MFG. APPR.	MD	D3443	SHEET 4 OF 4
APPROVED	MD	TITLE	SCALE
DE APPR.	MD	STRUT WELDMENT ASSEMBLY NTS	
DATE	09.06.25	<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	